



**KES ENERGY**

Piazza delle Fornaci, 4 – 36030 Villaverla- Italy

[www.kes-energy.it](http://www.kes-energy.it) [info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

## KES ENERGY DIESEL GENSETS 180 - 455 KVA PRIME

POWER				KES ENERGY	ENGINE						SWITCH	DIMENSIONS			
PRIME KVA	PRIME KW	STANDBY KVA	STANDBY KW	MODEL	MAKE	MODEL	GROSS POWER KWM	CYLINDERS NO.	DISPLACEMENT IT.	FUEL CONSUM.*	AMPS	OPEN CM**	OPEN KG	ENCLOSED CM**	ENCLOSED KG
180	144	200	160	KEPSW200	PERKINS	1106A-70TAG3	179.8	6	7	41.6	400	270x120x165	1790	350x125x185	2390
185	148	205	164	KEVSW205	VOLVO	TAD732GE	161	6	7.15	45.8	400	270x120x180	1810	350x125x185	2410
200	160	220	176	KECSW220	CUMMINS	QSB7-G5	213	6	5.9	45	400	270x120x180	1645	350x125x185	2250
200	160	220	176	KEPSW220	PERKINS	1106A-70TAG4	196.3	6	7	45.8	400	270x120x165	1820	350x125x185	2410
200	164	225	180	KEPSW225	PERKINS	1206A-E70TTAG1	204.2	6	7	45.8	400	270x120x180	1895	390x145x185	2700
205	160	225	180	KEVSW225	VOLVO	TAD733GE	179	6	7.15	59	400	270x120x180	1980	350x125x185	2580
225	180	250	200	KEPSW250	PERKINS	1206A-E70TTAG2	226.1	6	7	51	400	270x120x180	1935	390x145x185	2730
250	200	275	220	KEVSW275	VOLVO	TAD734GE	241	6	7.15	56.9	400	270x120x180	2080	390x145x185	2880
250	200	275	220	KEPSW275	PERKINS	1206A-E70TTAG3	248.6	6	7	56.9	400	270x120x180	1950	390x145x185	2745
250	200	275	220	KECSW275	CUMMINS	QSL9-G3	257	6	8.8	59	400	300x140x185	2285	390x145x185	3085
275	220	300	240	KEPSW300	PERKINS	1506A-E88TAG4	267	6	8.8	60	630	300x135x180	2705	390x145x185	3530
300	240	330	264	KECSW330	CUMMINS	QSL9-G5	310	6	8.8	63	630	300x140x185	2495	390x145x185	3290
300	240	335	268	KEPSW335	PERKINS	1506A-E88TAG5	293	6	8.8	65	630	300x135x180	2830	390x145x185	3650
315	252	350	280	KEVSW350	VOLVO	TAD131GE	298	6	12.78	68	630	305x140x185	3315	390x145x195	4115
350	280	375	300	KEVSW375	VOLVO	TAD1342GE	303	6	12.78	70	630	305x140x185	3385	390x145x195	4145
350	280	400	320	KEPSW400	PERKINS	2206C-E13TAG2	368	6	12.5	75	630	310x135x200	3250	440x145x225	4250
365	292	400	320	KECSW400	CUMMINS	NTA885-G4	351	6	14	76	630	310x135x200	3345	440x145x225	4350
378	302.4	410	328	KEVSW410	VOLVO	TAD1343GE	356	6	12.78	78	630	305x140x185	3445	390x145x195	4245
410	328	450	360	KEVSW450	VOLVO	TAD1344GE	389	6	12.78	81	630	310x140x185	3460	390x145x195	4260
400	320	450	360	KEPSW450	PERKINS	2206C-E13TAG3	413	6	12.5	85	630	310x135x200	3325	440x145x225	4330
450	316	500	400	KEVSW500	VOLVO	TAD1345GE	431	6	12.78	93	800	355x150x185	3505	390x145x195	4305
455	364	500	400	KEPSW500	PERKINS	2506C-E15TAG1	451	6	15.2	99	800	355x145x215	3785	440x145x225	4790

All power ratings listed at 50 Hz/1500 rpm/400Vac/3 Phase. Dimensions not to be used for installation purposes

\* Consumption listed as litres per hour in standby operation under standard conditions

\*\*Dimensions listed in Length x Width x Height format. Enclosed dimensions are listed as standard and can modified based on customers requirements (e.g. extra soundproofing, etc.)

**Head  
Office**

Kes Energy  
Piazza delle Fornaci, 4  
36030 Villaverla  
Italy

[info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

fax +39 0445 350756

**Dubai  
Office**

Kes Energy LLC  
Sheikh Zayed Road, Business Bay  
Fifty One @Business Bay, Office #0607  
Dubai  
United Arab Emirates

[infodubai@kes-energy.it](mailto:infodubai@kes-energy.it)

tel. +971 4 368 8669

fax +971 4 368 8679

**Sales**

[sales@kes-energy.it](mailto:sales@kes-energy.it)

**Service**

[technical@kes-energy.it](mailto:technical@kes-energy.it)


**Export**

[export@kes-energy.it](mailto:export@kes-energy.it)



**KES ENERGY**

**YOUR POWER PARTNER**



[www.kes-energy.it](http://www.kes-energy.it)

Copyright© 2020 by Kes Energy

All rights reserved. Reproduction or dissemination is strictly prohibited without prior written consent from Kes Energy.