



**KES ENERGY**

Piazza delle Fornaci, 4 – 36030 Villaverla- Italy

[www.kes-energy.it](http://www.kes-energy.it) [info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

## KES ENERGY DIESEL GENSETS 9 - 150 KVA PRIME

POWER				KES ENERGY	ENGINE						SWITCH	DIMENSIONS			
PRIME KVA	PRIME KW	STANDBY KVA	STANDBY KW	MODEL	MAKE	MODEL	GROSS POWER KWM	CYLINDERS NO.	DISPLACEMENT IT.	FUEL CONSUM.*	AMPS	OPEN CM**	OPEN KG	ENCLOSED CM**	ENCLOSED KG
9	7.2	10	8	KEPSW10	PERKINS	403D-11G	9.5	3	1.13	3.0	16	140x80x120	490	175x90x140	690
13	10.4	15	12	KEPSW15	PERKINS	403D-15G	13.5	3	1.5	3.7	20	140x80x120	535	175x90x140	755
15	12	17	13.6	KEPSW17	PERKINS	403A-15G2	15	3	1.5	5	20	140x80x120	560	175x90x140	770
20	16	22	17.6	KEPSW22	PERKINS	404D-22G	20.6	4	2.2	5.3	32	150x80x125	610	175x90x140	950
25	20	28	22.4	KECSW28	CUMMINS	X2.5-G2	22	3	2.5	6.0	40	170x80x125	665	175x90x140	865
30	24	33	26.4	KEPSW33	PERKINS	1103A-33G	31	3	3.3	8.6	50	170x80x130	845	190x90x150	1060
35	28	38	34	KECSW38	CUMMINS	X3.3-G1	36	4	3.3	8.5	50	170x80x125	715	190x90x150	1020
40	32	44	35.2	KECSW44	CUMMINS	S3.8-G4	43.4	4	3.8	9.9	63	170x80x125	890	190x90x150	1190
45	36	50	40	KEPSW50	PERKINS	1103A-33TG1	46.5	3	3.3	10.8	80	200x100x145	955	220x110x165	1255
50	40	55	44	KECSW55	CUMMINS	S3.8-G6	53.6	4	3.8	12.8	80	200x100x140	920	220x110x165	1235
61	48.8	66	52.8	KECSW66	CUMMINS	S3.8-G7	64.9	4	3.8	14.7	100	200x100x150	1035	220x110x165	1350
65	52	72	57.6	KEPSW72	PERKINS	1104A-44TG1	65.6	4	4.4	14.8	100	200x100x145	1160	220x110x165	1365
80	64	88	70.4	KEPSW88	PERKINS	1104A-44TG2	80.7	4	4.4	18.7	125	200x100x145	1195	220x110x165	1490
100	80	110	88	KEVSW110	VOLVO	TAD531GE	88	4	4.76	21.9	160	240x100x170	1340	290x110x165	1740
100	80	110	88	KECSW110	CUMMINS	6BTA5.9-G5	102	6	5.9	25	160	220x100x150	1245	190x110x150	1645
100	80	111	88.8	KEPSW111	PERKINS	1104C-44TAG2	103	4	4.4	26.9	160	200x100x145	1240	290x110x150	1645
130	104	144	115.2	KEVSW144	VOLVO	TAD532GE	113	4	4.76	21.6	250	240x100x170	1475	290x110x165	1890
135	108	150	120	KEPSW150	PERKINS	1106A-70TG1	135.8	6	7	30.2	250	245x110x170	1550	290x110x150	1940
136	108.8	150	120	KECSW150	CUMMINS	6BTA5.9-G6	145	6	5.9	35.16	250	240x110x170	1535	190x110x150	1940
150	120	165	132	KEPSW165	PERKINS	1106A-70TAG2	153.6	6	7	36.1	250	270x120x165	1690	350x125x185	2285
150	120	165	132	KEVSW165	VOLVO	TAD731GE	133	6	7.15	41	250	270x120x170	1685	350x125x185	2285

All power ratings listed at 50 Hz/1500 rpm/400Vac/3 Phase. Dimensions not to be used for installation purposes

\* Consumption listed as litres per hour in standby operation under standard conditions

\*\*Dimensions listed in Length x Width x Height format. Enclosed dimensions are listed as standard and can modified based on customers requirements (e.g. extra soundproofing, etc.)

**Head  
Office**

Kes Energy  
Piazza delle Fornaci, 4  
36030 Villaverla  
Italy

[info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

fax +39 0445 350756

**Dubai  
Office**

Kes Energy LLC  
Sheikh Zayed Road, Business Bay  
Fifty One @Business Bay, Office #0607  
Dubai  
United Arab Emirates

[infodubai@kes-energy.it](mailto:infodubai@kes-energy.it)

tel. +971 4 368 8669

fax +971 4 368 8679

**Sales**

[sales@kes-energy.it](mailto:sales@kes-energy.it)

**Service**

[technical@kes-energy.it](mailto:technical@kes-energy.it)


**Export**

[export@kes-energy.it](mailto:export@kes-energy.it)



**KES ENERGY**

**YOUR POWER PARTNER**



[www.kes-energy.it](http://www.kes-energy.it)

Copyright© 2020 by Kes Energy

All rights reserved. Reproduction or dissemination is strictly prohibited without prior written consent from Kes Energy.