



KES ENERGY

Piazza delle Fornaci, 4 – 36030 Villaverla- Italy

www.kes-energy.it info@kes-energy.it

tel. +39 0445 350756

KES ENERGY DIESEL GENSETS 200 - 500 KVA STANDBY

POWER				KES ENERGY	ENGINE						SWITCH	DIMENSIONS			
STANDBY KVA	STANDBY KW	PRIME KVA	PRIME KW	MODEL	MAKE	MODEL	GROSS POWER KWM	CYLINDERS NO.	DISPLACEMENT IT.	FUEL CONSUM.*	AMPS	OPEN CM**	OPEN KG	ENCLOSED CM**	ENCLOSED KG
200	160	180	144	KEPSW200	PERKINS	1106A-70TAG3	179.8	6	7	41.6	400	270x120x165	1790	350x125x185	2390
205	164	185	148	KEVSW205	VOLVO	TAD732GE	161	6	7.15	45.8	400	270x120x180	1810	350x125x185	2410
220	176	200	160	KECSW220	CUMMINS	QSB7-G5	213	6	5.9	45	400	270x120x180	1645	350x125x185	2250
220	176	200	160	KEPSW220	PERKINS	1106A-70TAG4	196.3	6	7	45.8	400	270x120x165	1820	350x125x185	2410
225	180	205	164	KEVSW225	VOLVO	TAD733GE	179	6	7.15	59	400	270x120x180	1980	350x125x185	2580
225	180	200	160	KEPSW225	PERKINS	1206A-E70TTAG1	204.2	6	7	45.8	400	270x120x180	1895	390x145x185	2700
250	200	225	180	KEPSW250	PERKINS	1206A-E70TTAG2	226.1	6	7	51	400	270x120x180	1935	390x145x185	2730
275	220	250	200	KEVSW275	VOLVO	TAD734GE	241	6	7.15	56.9	400	270x120x180	2080	390x145x185	2880
275	220	250	200	KEPSW275	PERKINS	1206A-E70TTAG3	248.6	6	7	56.9	400	270x120x180	1950	390x145x185	2745
275	220	250	200	KECSW275	CUMMINS	QSL9-G3	257	6	8.8	59	400	300x140x185	2285	390x145x185	3085
300	240	275	220	KEPSW300	PERKINS	1506A-E88TAG4	267	6	8.8	60	630	300x135x180	2705	390x145x185	3530
330	264	300	240	KECSW330	CUMMINS	QSL9-G5	310	6	8.8	63	630	300x140x185	2495	390x145x185	3290
335	268	300	240	KEPSW335	PERKINS	1506A-E88TAG5	293	6	8.8	65	630	300x135x180	2830	390x145x185	3650
350	280	315	252	KEVSW350	VOLVO	TAD1341GE	298	6	12.78	68	630	305x140x185	3315	390x145x195	4115
375	300	350	280	KEVSW375	VOLVO	TAD1342GE	303	6	12.78	70	630	305x140x185	3385	390x145x195	4145
400	320	350	280	KEPSW400	PERKINS	2206C-E13TAG2	368	6	12.5	75	630	310x135x200	3250	440x145x225	4250
400	320	365	292	KECSW400	CUMMINS	NTA885-G4	351	6	14	76	630	310x135x200	3345	440x145x225	4350
410	328	378	302.4	KEVSW410	VOLVO	TAD1343GE	356	6	12.78	78	630	305x140x185	3445	390x145x195	4245
450	360	410	328	KEVSW450	VOLVO	TAD1344GE	389	6	12.78	81	630	310x140x185	3460	390x145x195	4260
450	360	400	320	KEPSW450	PERKINS	2206C-E13TAG3	413	6	12.5	85	630	310x135x200	3325	440x145x225	4330
500	400	450	316	KEVSW500	VOLVO	TAD1345GE	431	6	12.78	93	800	355x150x185	3505	390x145x195	4305
500	400	455	364	KEPSW500	PERKINS	2506C-E15TAG1	451	6	15.2	99	800	355x145x215	3785	440x145x225	4790

All power ratings listed at 50 Hz/1500 rpm/400Vac/3 Phase. Dimensions not to be used for installation purposes

* Consumption listed as litres per hour in standby operation under standard conditions

**Dimensions listed in Length x Width x Height format. Enclosed dimensions are listed as standard and can modified based on customers requirements (e.g. extra soundproofing, etc.)



**Head
Office**

Kes Energy
Piazza delle Fornaci, 4
36030 Villaverla
Italy

info@kes-energy.it

tel. +39 0445 350756

fax +39 0445 350756

**Dubai
Office**

Kes Energy LLC
Sheikh Zayed Road, Business Bay
Fifty One @Business Bay, Office #0607
Dubai
United Arab Emirates

infodubai@kes-energy.it

tel. +971 4 368 8669

fax +971 4 368 8679

Sales

sales@kes-energy.it

Service

technical@kes-energy.it


Export

export@kes-energy.it



KES ENERGY

YOUR POWER PARTNER



www.kes-energy.it

Copyright© 2020 by Kes Energy

All rights reserved. Reproduction or dissemination is strictly prohibited without prior written consent from Kes Energy.